

Certificate of Compliance

Certificate Number:

UL-US-L172855-12091-
62406991-3

Report Reference:

E172855-19960426

Issue Date:

2024-07-30

Issued to:

CS S R L
VIA COMO 11 CERNUSCO S/NAVIGLIO, MI 20063
Italy

This certificate confirms that representative samples of:
ECCT2 - Connector Housings - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 2441, Edition: 1, Issue Date: 2003-10-03

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Picuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L172855-12091-62406991-3
Report reference E172855-19960426
Date 2024-07-30

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
28N001, 28N002, 28N003, 28N004, 28N006, 28N007, 28N008, 28N008.02, 28N009, 48N001, 48N002, 48N003, 48N004, 48N005, 48N005.01, 48N006 followed by VOC4	Connector Housings
28N001, 28N002, 28N003, 28N004, 28N006, 28N007, 28N008, 28N009, 48N001, 48N002, 48N003, 48N004, 48N004MLX, 48N005, 48N005.01, 48N006, 48N007, 48N008,, 48N002STK, 48N004STK, 48N004OSW, 48N0UPSEK, 50N001, 50N002, 63N001, 63N002, 63N003, 63N004, 63N004.02, 63N004.03, 63N004F, 63N005, 63N006, 63N007, 63N013, 63N014, 63N029, 63N030, 63N031, 63N037, 63N004STK, 63N004.01, 63N013.01, 63N004.01STK, 63N004.02STK, 63N0367, 63N0371, 63N0UPSEK, 63N004.05, 28N008.02, 48N008.01, 48N010, 48N011, 48N012, 63N004.03STK, 63N013.02, 63N013.03, 28N005, 28N002STK, 48N004.01STK, 63N0TPSEK, 48N009, 63N041 followed by VORF	Connector Housings
28N001, 28N002, 28N003, 28N004, 28N006, 28N007, 28N008, 28N009, 48N001, 48N002, 48N003, 48N004, 48N005 followed by V2NF	Connector Housings
28N001, 28N002, 28N003, 28N004, 28N006, 28N007, 28N008, 28N009, 48N001, 48N002, 48N003, 48N004, 48N005, 48N005.01, 48N006 followed by V0750NF or V0NF	Connector Housings
28N001, 28N002, 28N003, 28N004, 28N006, 28N007, 28N008, 28N009, 48N001, 48N002, 48N003, 48N004, 48N005, 48N005.01, 48N006 followed by V0S1	Connector Housings
28N001, 28N002, 28N003, 28N004, 28N006, 28N007, 28N008, 28N009, 48N001, 48N002, 48N003, 48N004, 48N005, 48N005.01, 48N006 followed by G	Connector Housings
28N001, 28N002, 28N003, 28N004, 28N006, 28N007, 28N008, 28N009, 48N001, 48N002, 48N003, 48N004, 48N005, 48N005.01, 48N006 followed by V0	Connector Housings
28N001, 28N002, 28N003, 28N004, 28N006, 28N007, 28N008, 28N009, 48N001, 48N002, 48N003, 48N004, 48N005, 48N005.01, 48N006 followed by V0EH	Connector Housings
28N001, 28N002, 28N003, 28N004, 28N006, 28N007, 28N008, 28N009, 48N001, 48N002, 48N003, 48N004,	Connector Housings



David Picuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L172855-12091-62406991-3
Report reference E172855-19960426
Date 2024-07-30

48N005, 48N005.01, 48N006, 48N007 followed by VOHGW(n)	Connector Housings
28N001, 28N002, 28N003, 28N004, 28N006, 28N007, 28N008, 28N009, 48N001, 48N002, 48N003, 48N004, 48N005, 48N005.01, 48N006, 48N007, 48N008, 48N002STK	Connector Housings
28N002, 28N006, 28N007, 48N002, 48N002STK, 48N004, 48N004OSW, 48N004STK, 48N005, 48N005.01, 48N007, 48N008, 48N008.01, 48N009, 48N011 followed by STY	Connector Housings
28N006, 28N007, 63N006, 63N041, 48N009, followed by V2750NF	Connector Housings
28N010, 28N013, 28N014, 28N015, 63N008, 63N009, 63N010, 63N011, 63N012, 63N015, 63N016, 63N018, 63N019, 63N020, 63N021, 63N022, 63N023 followed by VOC4	Connector Housings
28N010, 63N008, 63N009, 63N010, 63N011, 63N012, 63N015, 63N016, 63N017, 63N018, 63N019, 63N020, 63N021, 63N022, 63N023 followed by G	Connector Housings
28N010, 63N008, 63N009, 63N010, 63N011, 63N012, 63N015, 63N016, 63N017, 63N018, 63N019, 63N020, 63N021, 63N022, 63N023 followed by V0750NF or V0NF	Connector Housings
28N010, 63N008, 63N009, 63N010, 63N011, 63N012, 63N015, 63N016, 63N017, 63N018, 63N019, 63N020, 63N021, 63N022, 63N023 followed by VOHGW(n)	Connector Housings
28N010, 63N008, 63N009, 63N010, 63N011, 63N012, 63N015, 63N016, 63N017, 63N018, 63N019, 63N020, 63N021, 63N022, 63N023 followed by V0S1	Connector Housings
28N010, 63N008, 63N009, 63N010, 63N011, 63N012, 63N015, 63N016, 63N017, 63N018, 63N019, 63N020, 63N021, 63N022, 63N023 followed by V2NF	Connector Housings
28N010, 63N008, 63N009, 63N010, 63N011, 63N012, 63N015, 63N016, 63N017, 63N018, 63N019, 63N020, 63N021, 63N022, 63N023, 63N024, 63N025 followed by V0	Connector Housings
28N010, 63N008, 63N009, 63N010, 63N011, 63N012, 63N015, 63N016, 63N017, 63N018, 63N019, 63N020, 63N021, 63N022, 63N023, 63N024, 63N025, 63N025A	Connector Housings
28N010, 63N008, 63N009, 63N010, 63N011, 63N012, 63N015, 63N016, 63N017, 63N018, 63N019, 63N020, 63N021, 63N022, 63N023, 63N024, 63N025, 63N025A,, 63N026, 63N026A, 63N027, 63N027A, 63N028, 63N040, 63N0372, 63N0376, 63N034, 63N035, 63N235, 63N335, 63N435, 63N035W, 63N235W, 63N335W, 63N435W, 63N039W, 63N239W, 63N339W, 63N439W, 63N632.2,	Connector Housings



David Picuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L172855-12091-62406991-3
Report reference E172855-19960426
Date 2024-07-30

63N033.3, 63N333.35, 63N433.5, 63N039.4W, 63N339.4W, SC-P502, SC-P503, 28N013, 28N014, 28N014.02, 28N015, 63N019.01, 63N049.3, 63N032.3, 63N038, 63H790TPSEK-PA, 63Nx32.1, 63Nx32.3, 63Nx36.2, 63Nx42.3, 63Nx49.3, 63Nx53.2, 63Nx45.2, 63Nx33.1, 63Nx47.4, 63Nx53.1T, 63Nx43.2, 63Nx43.3, 63Nx50.1, 63Nx50.2, 63Nx50.2T, 63Nx50.3T, 63Nx44.6, 63Nx44.14, 63Nx48.4, 63Nx48.5, 63Nx46.1 followed by VORF	
28N014.02	Connector Housings
28N015, 63N009, 63N010, 63N011, 63N012, 63N017, 63N018, 63N019, 63N022, 63N023, 63N026, 63N026A, 63N028, 28N015, 63N018.01 followed by STY	Connector Housings
28NGR12FV20	Connector Housings
48LCP508.01, 63LCP504.01, 63LCP504.05, 63LCP5TPSEK, 63H190TPSEK/LCP, 63H190TPSEK/LCP-05	Connector Housings
48N002STK, 48N004STK, 48N004OSW, 48N0UPSEK, 63N001, 63N002, 63N003, 63N004, 63N004.02, 63N004.03, 63N004F, 63N005, 63N006, 63N007 followed by G	Connector Housings
48N004MLX	Connector Housings
48N004STK, 48N004OSW, 48N0UPSEK, 50N001, 50N002, 63N001, 63N002, 63N003, 63N004, 63N004.02, 63N004.03, 63N004F, 63N005	Connector Housings
48N005.01, 48N006, 48N007, 48N008, 48N009, 48N002STK, 48N004STK followed by V2NF	Connector Housings
48N007, 48N008, 48N002STK, 48N004STK, 48N004OSW, 48N0UPSEK, 63N001, 63N002 followed by V0750NF or V0NF	Connector Housings
48N007, 48N008, 48N002STK, 48N004STK, 48N004OSW, 48N0UPSEK, 63N001, 63N002 followed by V0EH	Connector Housings
48N007, 48N008, 48N002STK, 48N004STK, 48N004OSW, 48N0UPSEK, 63N001, 63N002 followed by V0S1	Connector Housings
48N007, 48N008, 48N008.01, 48N010, 48N011, 48N002STK, 48N004STK followed by V0C4	Connector Housings
48N007, 48N008, 48N009 followed by G	Connector Housings
48N007, 48N008, 48N009, 48N002STK, 48N004STK, 48N004OSW, 48N0UPSEK, 63N001 followed by V0	Connector Housings
48N008, 48N009, 48N002STK, 48N004STK, 48N004OSW, 48N0UPSEK, 63N001, 63N002 followed by V0HGW(n)	Connector Housings



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L172855-12091-62406991-3
Report reference E172855-19960426
Date 2024-07-30

48N008.01, 48N010, 48N011, 63N004.03STK, 63N013.02, 28N005, 28N002STK, 48N004.01STK, 63N0TPSEK followed by V0750NF or V0NF	Connector Housings
48N008.01, 48N010, 48N011, 63N004.03STK, 63N013.02, 28N005, 28N002STK, 48N004.01STK, 63N0TPSEK followed by V0EH	Connector Housings
48N008.01, 48N010, 48N011, 63N004.03STK, 63N013.02, 28N005, 28N002STK, 48N004.01STK, 63N0TPSEK followed by V0S1	Connector Housings
48N009, 63N017, 63N028, 63N041, 63N018.01 followed by V0750NF or V0NF	Connector Housings
48N009, 63N041 followed by V0EH	Connector Housings
48N009, 63N041 followed by V0S1	Connector Housings
48N009, 63N041, followed by V0C4	Connector Housings
48N00OSW, 48N0UPSEK, 63N001, 63N002, 63N003, 63N004, 63N004.02, 63N004.03, 63N004F, 63N005, 63N006, 63N007, 63N013 followed by V2NF	Connector Housings
48N012	Connector Housings
48N0UPSEK followed by GFV7	Connector Housings
48N0UPSEK followed by STY	Connector Housings
48N0UPSEK, 48N004OSW, 63N001, 63N002, 63N003, 63N004, 63N004.02, 63N004.03, 63N004.05, 63N004F, 63N005, 63N006, 63N007, 63N029 followed by V0C4	Connector Housings
48N5UPSEK, 50N001, 50N002, 63N004, 63N004STK, 63N004.01, 63N0UPSEK, 63N041, 63N5UPSEK, 63N005, 63N006, 63N007, 63N013, 63N014, 63N029 followed by STY	Connector Housings
63N002, 63N003, 63N004, 63N004.02, 63N004.03, 63N004F, 63N006, 63N007, 63N013 followed by V0	Connector Housings
63N003, 63N004, 63N004.02, 63N004.03, 63N004F, 63N005, 63N006, 63N007, 63N013, 63N014, 63N029, 63N030, 63N031, 63N037 followed by V0750NF or V0NF	Connector Housings
63N003, 63N004, 63N004.02, 63N004.03, 63N004F, 63N005, 63N006, 63N007, 63N013, 63N014, 63N029, 63N030, 63N031, 63N037 followed by V0EH	Connector Housings
63N003, 63N004, 63N004.02, 63N004.03, 63N004F, 63N005, 63N006, 63N007, 63N013, 63N014, 63N029, 63N030, 63N031, 63N037 followed by V0S1	Connector Housings
63N003, 63N004, 63N004.02, 63N004.03, 63N004F, 63N005, 63N006, 63N007, 63N013, 63N014, 63N029, 63N030, 63N031, followed by V0HGW(n)	Connector Housings
63N004.03STK, 63N0367, 63N037, 63N0371, 63N0UPSEK, 63N004.04STK, 63N013.02, 28N005,	Connector Housings



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L172855-12091-62406991-3
Report reference E172855-19960426
Date 2024-07-30

28N002STK, 48N004.01STK, 63N0TPSEK followed by VOC4	
63N004.05, 28N008.02, 48N008.01, 48N010, 48N011, 63N004.03STK, 63N004.04STK, 63N013.02, 28N005, 28N002STK, 48N004.01STK, 63N0TPSEK followed by VOHGW(n)	Connector Housings
63N004STK, 63N004.01, 63N013.01, 63N004.01STK, 63N004.02STK, 63N0367, 63N0371, 63N0UPSEK, 63N004.05, 28N008.02 followed by V0750NF or V0NF	Connector Housings
63N004STK, 63N004.01, 63N013.01, 63N004.01STK, 63N004.02STK, 63N0367, 63N0371, 63N0UPSEK, 63N004.05, 28N008.02 followed by V0EH	Connector Housings
63N004STK, 63N004.01, 63N013.01, 63N004.01STK, 63N004.02STK, 63N0367, 63N0371, 63N0UPSEK, 63N004.05, 28N008.02 followed by V0S1	Connector Housings
63N006, 63N007, 63N013, 63N014, 63N029, 63N030, 63N031, 63N037, 63N004STK, 63N004.01, 63N013.01, 63N004.01STK, 63N004.02STK, 63N0367, 63N0371	Connector Housings
63N009, 63N010, 63N011, 63N012, 63N017, 63N018, 63N019, 63N022, 63N023, 63N026, 63N026A, 63N028 followed by V2750NF	Connector Housings
63N013.03	Connector Housings
63N014, 63N029, 63N030, 63N031, 63N037, 63N041, 63N004STK, 63N004.01, 63N013.01, 63N004.01STK, 63N004.02STK, 63N0367, 63N0371 followed by V0	Connector Housings
63N014, 63N029, 63N030, 63N031, 63N037, 63N041, 63N004STK, 63N004.01, 63N013.01, 63N004.01STK, 63N004.02STK, 63N0367, 63N0371 followed by V2NF	Connector Housings
63N017, 63N028, 63N018.01, 63N019.01 followed by VOC4	Connector Housings
63N018.01, 63N019.01, 63N049.3, 63N032.3, 63N038, 63H790TPSEK-PA, 63Nx32.1, 63Nx32.3, 63Nx36.2, 63Nx42.3, 63Nx49.3, 63Nx53.2, 63Nx45.2, 63Nx33.1	Connector Housings
63N024, 63N025, 63N025A, 63N026, 63N026A, 63N027, 63N027A, 63N028, 63N040, 63N0372, 63N0376, 63N037, 63N034, 63N035 followed by G	Connector Housings
63N024, 63N025, 63N025A, 63N026, 63N026A, 63N027, 63N027A, 63N028, 63N040, 63N0372, 63N0376, 63N037, 63N034, 63N035 followed by V0750NF or V0NF	Connector Housings
63N024, 63N025, 63N025A, 63N026, 63N026A, 63N027, 63N027A, 63N028, 63N040, 63N0372, 63N0376, 63N037, 63N034, 63N035 followed by VOHGW(n)	Connector Housings



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L172855-12091-62406991-3
Report reference E172855-19960426
Date 2024-07-30

63N024, 63N025, 63N025A, 63N026, 63N026A, 63N027, 63N027A, 63N028, 63N040, 63N0372, 63N0376, 63N037, 63N034, 63N035 followed by VOS1	Connector Housings
63N024, 63N025, 63N025A, 63N026, 63N026A, 63N027, 63N027A, 63N028, 63N040, 63N0372, 63N0376, 63N037, 63N034, 63N035 followed by V2NF	Connector Housings
63N024, 63N025, 63N025A, 63N026, 63N026A, 63N027, 63N027A, 63N040, 63N0372, 63N0376, 63N038, 63N049.3, 63N032.3, 63N634, 63N035 followed by VOC4	Connector Housings
63N025A, 63N026, 63N026A, 63N027, 63N027A, 63N028, 63N040, 63N0372, 63N0376, 63N034, 63N035, 63N235, 63N335, 63N435, 63N035W, 63N235W followed by VO	Connector Housings
63N026, 63N026A, 63N027, 63N027A, 63N028, 63N040, 63N0372, 63N0376, 63N034, 63N035, 63N235, 63N335, 63N435, 63N035W, 63N235W, 63N335W, 63N435W	Connector Housings
63N029, 63N030, 63N031, 63N037, 63N041, 63N004STK, 63N004.01, 63N013.01, 63N004.01STK, 63N004.02STK, 63N0367, 63N013, 63N014 followed by G	Connector Housings
63N030, 63N031, 63N004STK, 63N004.01, 63N013, 63N014, 63N013.01, 63N004.01STK, 63N004.02STK followed by VOC4	Connector Housings
63N033.3, 63N333.35, 63N433.5, 63N039.4W, 63N339.4W, SC-P502, SC-P503, 28N013, 28N014, 28N015, 63N018.01, 63N019.01 followed by G	Connector Housings
63N033.3, 63N333.35, 63N433.5, 63N039.4W, 63N339.4W, SC-P502, SC-P503, 28N013, 28N014, 28N015, 63N018.01, 63N019.01 followed by V0750NF or V0NF	Connector Housings
63N033.3, 63N333.35, 63N433.5, 63N039.4W, 63N339.4W, SC-P502, SC-P503, 28N013, 28N014, 28N015, 63N018.01, 63N019.01 followed by V0HGW(n)	Connector Housings
63N033.3, 63N333.35, 63N433.5, 63N039.4W, 63N339.4W, SC-P502, SC-P503, 28N013, 28N014, 28N015, 63N018.01, 63N019.01 followed by VOS1	Connector Housings
63N033.3, 63N333.35, 63N433.5, 63N039.4W, 63N339.4W, SC-P502, SC-P503, 28N013, 28N014, 28N015, 63N018.01, 63N019.01 followed by V2NF	Connector Housings
63N037, 63N041, 63N004STK, 63N004.01, 63N013.01, 63N004.01STK, 63N004.02STK, 63N0367, 63N0371, 63N0UPSEK followed by V0HGW(n)	Connector Housings
63N0371, 63N0UPSEK, 63N004.05, 28N008.02, 48N008.01, 48N010, 48N011, 63N004.03STK, 63N013.02, 28N005, 28N002STK, 48N004.01STK, 63N0TPSEK followed by G	Connector Housings



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L172855-12091-62406991-3
Report reference E172855-19960426
Date 2024-07-30

63N039W, 63N239W, 63N339W, 63N439W, 63N632.2, 63N033.3, 63N333.35, 63N433.5, 63N039.4W, 63N339.4W, SC-P502, SC-P503, 28N013, 28N014, 28N015	Connector Housings
63N049.3, 63N032.3, 63N038, 63H790TPSEK-PA, 63Nx32.1, 63Nx32.3, 63Nx36.2, 63Nx42.3, 63Nx49.3, 63Nx53.2, 63Nx45.2, 63Nx33.1 followed by G	Connector Housings
63N049.3, 63N032.3, 63N038, 63H790TPSEK-PA, 63Nx32.1, 63Nx32.3, 63Nx36.2, 63Nx42.3, 63Nx49.3, 63Nx53.2, 63Nx45.2, 63Nx33.1 followed by V0750NF or V0NF	Connector Housings
63N049.3, 63N032.3, 63N038, 63H790TPSEK-PA, 63Nx32.1, 63Nx32.3, 63Nx36.2, 63Nx42.3, 63Nx49.3, 63Nx53.2, 63Nx45.2, 63Nx33.1 followed by V0HGW(n)	Connector Housings
63N049.3, 63N032.3, 63N038, 63H790TPSEK-PA, 63Nx32.1, 63Nx32.3, 63Nx36.2, 63Nx42.3, 63Nx49.3, 63Nx53.2, 63Nx45.2, 63Nx33.1 followed by V0S1	Connector Housings
63N049.3, 63N032.3, 63N038, 63H790TPSEK-PA, 63Nx32.1, 63Nx32.3, 63Nx36.2, 63Nx42.3, 63Nx49.3, 63Nx53.2, 63Nx45.2, 63Nx33.1 followed by V2NF	Connector Housings
63N0UPSEK, 28N008.02, 48N008.01, 48N010, 48N011, 63N004.05, 63N004.03STK, 63N013.02, 28N005, 28N002STK, 48N004.01STK, 63N0TPSEK followed by V0	Connector Housings
63N0UPSEK, 63N004.05, 28N008.02, 48N008.01, 48N010, 48N011, 63N004.03STK, 63N013.02, 28N005, 28N002STK, 48N004.01STK, 63N0TPSEK followed by V2NF	Connector Housings
63N0UPSEK, 63N004.05, 28N008.02, 48N008.01, 48N010, 48N011, 63N004.03STK, 63N013.02, 28N005, 28N002STK, 48N004.01STK, 63N0TPSEK, 48N009, 63N041	Connector Housings
63N235, 63N335, 63N435, 63N035W, 63N235W, 63N335W, 63N435W, 63N039W, 63N239W, 63N339W, 63N439W, 63N632.2 followed by G	Connector Housings
63N235, 63N335, 63N435, 63N035W, 63N235W, 63N335W, 63N435W, 63N039W, 63N239W, 63N339W, 63N439W, 63N632.2 followed by V0750NF or V0NF	Connector Housings
63N235, 63N335, 63N435, 63N035W, 63N235W, 63N335W, 63N435W, 63N039W, 63N239W, 63N339W, 63N439W, 63N632.2 followed by V0HGW(n)	Connector Housings
63N235, 63N335, 63N435, 63N035W, 63N235W, 63N335W, 63N435W, 63N039W, 63N239W, 63N339W, 63N439W, 63N632.2 followed by V0S1	Connector Housings



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L172855-12091-62406991-3
Report reference E172855-19960426
Date 2024-07-30

63N235, 63N335, 63N435, 63N035W, 63N235W, 63N335W, 63N435W, 63N039W, 63N239W, 63N339W, 63N439W, 63N632.2 followed by V2NF	Connector Housings
63N235, 63N335, 63N435, 63N035W, 63N235W, 63N335W, 63N435W, 63N039W, 63N239W, 63N339W, 63N439W, 63N632.2, 63N033.3, 63N333.35 followed by VOC4	Connector Housings
63N335W, 63N435W, 63N039W, 63N239W, 63N339W, 63N439W, 63N632.2, 63N033.3, 63N333.35, 63N433.5, 63N039.4W, 63N339.4W, SC-P502 followed by V0	Connector Housings
63N433.5, 63N039.4W, 63N339.4W, 63H790TPSEK-PA, SC-P502, SC-P503, 63Nx32.1, 63Nx32.3, 63Nx36.2, 63Nx42.3, 63Nx49.3, 63Nx53.2 followed by VOC4	Connector Housings
63Nx33.1, 63Nx47.4, 63Nx53.1T, 63Nx45.2 followed by VOC4	Connector Housings
63Nx42.3, 63Nx49.3, 63Nx53.2, 63Nx45.2, 63Nx33.1, 63Nx47.4, 63Nx53.1T, 63Nx43.2 followed by V0	Connector Housings
63Nx43.2, 63Nx43.3, 63Nx50.1, 63Nx50.2, 63Nx50.2T, 63Nx50.3T, 63Nx44.6, 63Nx44.14, 63Nx48.4, 63Nx48.5, 63Nx46.1 followed by VOC4	Connector Housings
63Nx43.3, 63Nx50.1, 63Nx50.2, 63Nx50.2T, 63Nx50.3T, 63Nx44.6, 63Nx44.14, 63Nx48.4, 63Nx48.5, 63Nx46.1 followed by V0	Connector Housings
63Nx43.3, 63Nx50.1, 63Nx50.2, 63Nx50.2T, 63Nx50.3T, 63Nx44.6, 63Nx44.14, 63Nx48.4, 63Nx48.5, 63Nx46.1 followed by V0750NF or V0NF	Connector Housings
63Nx43.3, 63Nx50.1, 63Nx50.2, 63Nx50.2T, 63Nx50.3T, 63Nx44.6, 63Nx44.14, 63Nx48.4, 63Nx48.5, 63Nx46.1 followed by V0HGW(n)	Connector Housings
63Nx43.3, 63Nx50.1, 63Nx50.2, 63Nx50.2T, 63Nx50.3T, 63Nx44.6, 63Nx44.14, 63Nx48.4, 63Nx48.5, 63Nx46.1 followed by V0S1	Connector Housings
63Nx43.3, 63Nx50.1, 63Nx50.2, 63Nx50.2T, 63Nx50.3T, 63Nx44.6, 63Nx44.14, 63Nx48.4, 63Nx48.5, 63Nx46.1 followed by V2NF	Connector Housings
63Nx47.4, 63Nx53.1T, 63Nx43.2 followed by G	Connector Housings
63Nx47.4, 63Nx53.1T, 63Nx43.2 followed by V0750NF or V0NF	Connector Housings
63Nx47.4, 63Nx53.1T, 63Nx43.2 followed by V0HGW(n)	Connector Housings
63Nx47.4, 63Nx53.1T, 63Nx43.2 followed by V0S1	Connector Housings
63Nx47.4, 63Nx53.1T, 63Nx43.2 followed by V2NF	Connector Housings
63Nx47.4, 63Nx53.1T, 63Nx43.2, 63Nx43.3, 63Nx50.1, 63Nx50.2, 63Nx50.2T, 63Nx50.3T, 63Nx44.6, 63Nx44.14, 63Nx48.4, 63Nx48.5, 63Nx46.1	Connector Housings



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L172855-12091-62406991-3
Report reference E172855-19960426
Date 2024-07-30

63P004.03, 63P005	Connector Housings
63PPS541, 63H190TPSEK/PPS (only black or natural color)	Connector Housings
SC-P503, 28N013, 28N014, 28N015, 63N018.01, 63N019.01, 63N049.3, 63N032.3, 63N038, 63H790TPSEK-PA, 63Nx32.1, 63Nx32.3, 63Nx36.2 followed by V0	Connector Housings



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

